



# SEQUENCE LISTING

<100> Philippe, CLAIR  
Michel, KACZOREK  
Jamal, TEMSAMANI

<120> Peptides carrying substances across the blood brain barrier

<130> 3373PCT/US

<140> US 09/857,000

<141> 2001-05-30

<150> FR98/15074

<151> 1998-11-30

<150> PCT/FR99/02938

<151> 1999-11-26

<160> 13

<170> PatentIn version 3.1

<210> 1

<211> 18

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(18)

<223> Protegrin PG1

<400> 1

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Arg Arg Phe Cys Val Cys Val  
1 5 10 15

Gly Arg

<210> 2

<211> 16

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(16)

<223> Protegrin PG2

<400> 2

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Arg Arg Phe Cys Ile Cys Val  
1 5 10 15

<210> 3

<211> 18

<212> PRT

<213> porcus

<220>

<221> PEPTIDE  
<222> (1)..(18)  
<223> Protegrin PG3  
<400> 3

Arg Gly Gly Gly Leu Cys Tyr Cys Arg Arg Arg Phe Cys Val Cys Val  
1 5 10 15

Gly Arg

<210> 4  
<211> 18  
<212> PRT  
<213> porcus  
<220>  
<221> PEPTIDE  
<222> (1)..(18)  
<223> Protegrin PG4  
<400> 4

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Gly Trp Ile Cys Phe Cys Val  
1 5 10 15

Gly Arg

<210> 5  
<211> 18  
<212> PRT  
<213> porcus  
<220>  
<221> PEPTIDE  
<222> (1)..(18)  
<223> Protegrin PG5  
<400> 5

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Pro Arg Phe Cys Val Cys Val  
1 5 10 15

Gly Arg

<210> 6  
<211> 18  
<212> PRT  
<213> Limmulus polyphemus  
<220>  
<221> PEPTIDE  
<222> (1)..(18)  
<223> Polyphemusin P1  
<400> 6

Arg Arg Trp Cys Phe Arg Val Cys Tyr Arg Gly Phe Cys Tyr Arg Lys  
1 5 10 15

Cys Arg

<210> 7  
<211> 18  
<212> PRT  
<213> Limmulus polyphemus  
<220>  
<221> PEPTIDE  
<222> (1)..(18)  
<223> Polyphemusin P2  
<400> 7

Arg Arg Trp Cys Phe Arg Val Cys Tyr Lys Gly Phe Cys Tyr Arg Lys  
1 5 10 15

Cys Arg

<210> 8  
<211> 16  
<212> PRT  
<213> unidentified  
  
<220>  
<221> MISC\_FEATURE  
<222> (1)..(16)  
<223> Wherein 6 to 10 Xaa residues are hydrophobic amino acids  
  
<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Wherein Xaa is tryptophan  
<400> 8

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
1 5 10 15

<210> 9  
<211> 18  
<212> PRT  
<213> unidentified  
<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group  
  
<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (4)..(4)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>  
 <221> MISC\_FEATURE  
 <222> (5)..(5)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (13)..(13)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (15)..(15)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (16)..(16)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (17)..(17)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (18)..(18)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>  
 <221> PEPTIDE  
 <222> (1)..(18)  
 <223> Peptide of formula (II)  
 <400> 9

Baa Xaa Xaa Baa Xaa Xaa Xaa Xaa Baa Baa Baa Xaa Xaa Xaa Xaa Xaa  
 1 5 10 15

Xaa Baa

<210> 10  
 <211> 17  
 <212> PRT  
 <213> unidentified  
 <220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (4)..(4)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (5)..(5)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (13)..(13)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>  
 <221> MISC\_FEATURE  
 <222> (15)..(15)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>  
 <221> MISC\_FEATURE  
 <222> (16)..(16)  
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (17)..(17)  
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>  
 <221> PEPTIDE  
 <222> (1)..(17)  
 <223> Peptide of formula (III)  
 <400> 10

Baa Xaa Xaa Xaa Baa Xaa Xaa Xaa Baa Xaa Xaa Xaa Xaa Baa Baa Xaa  
 1 5 10 15

Baa

<210> 11  
 <211> 18  
 <212> PRT  
 <213> unidentified  
 <220>  
 <221> PEPTIDE  
 <222> (1)..(18)  
 <223> Syn B1  
 <400> 11

Arg Gly Gly Arg Leu Ser Tyr Ser Arg Arg Arg Phe Ser Thr Ser Thr  
 1 5 10 15

Gly Arg

<210> 12  
 <211> 10  
 <212> PRT  
 <213> unidentified  
 <220>  
 <221> PEPTIDE  
 <222> (1)..(10)  
 <223> Syn B3  
 <400> 12

Arg Arg Leu Ser Tyr Ser Arg Arg Arg Phe  
 1 5 10

<210> 13  
 <211> 17  
 <212> PRT  
 <213> unidentified  
 <220>  
 <221> PEPTIDE  
 <222> (1)..(17)  
 <223> Peptide with amino acids in D form  
 <400> 13

Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Arg Met Lys Trp Lys  
 1 5 10 15

Lys